

GIBELO

2024 -03- 13

CONTROLLED COPY

PRASA PROJECT

GIBELO

# SELF INSPECTION SHEET

## CONFIDENTIAL INFORMATION

This document and the information contemplated therein have to be considered as Confidential Information pursuant to the provisions of Clause 25 of the MSA, and treated as such.

### APPLICATION REFERENCE

MOUNTING	DESCRIPTION	STATION	CAR TYPE						WORK INSTRUCTION	SAFETY ?	
			TC1	M4	M1	M2	M3	TC2			
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING M CAR	FT1140	1	1	1	1		PRA.FT1140.04	YES	
<input type="checkbox"/>	DTR3-PROCE-14	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1				X	PRA.FT1140.05	YES	
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	PRA.FT1140.05	YES	
<input type="checkbox"/>	DTR3-PROCE-17	LEVELLING, WEIGHTING AND BALANCING TC CAR	FT1140	1	1	1	1	1	PRA.FT1140.05	YES	
<input type="checkbox"/>											
<input type="checkbox"/>											
<input type="checkbox"/>											

REV	DATE	MODIFICATION CONTENT	RESPONSIBLE	NAME	DATE
7	2020/02/11	UPDATE OF AIR TIGHTNESS TEST TIME FROM 4 MIN TO 5 MIN. ADD PANTOGRAPH AIR TIGHTNESS.	APPROVER	GIVEN SILOWA	2020/02/11
			CHECKER	SIMON MOKOENA	2020/02/11
			COMPILER	COMFORT MALATJI	2020/02/11
8	2021/09/13	ADDING GAUGE MEASUREMENT CHECK ON THE SI.	APPROVER	MAKOFANE LUCY	2021/09/13
			CHECKER	RATAU EDISON	2021/09/13
			COMPILER	TSAKANI KHOSA	2021/09/13
9	2022/05/31	pressure valve (APV) Isolation	APPROVER	MAKHURUPETJI THABANG	2022/05/31
			CHECKER	HAZEL MGIBA	2022/05/31
			COMPILER	RATAU EDISON	2021/05/31

TUE	CAR	OPERATOR NAME	DATE	SELF INSPECTION NUMBER	PAGES
TS 213	TC2	Plakie	17/03/2024	SI.FT1140.52	01/08

	<h1>SELF INSPECTION INDUSTRIAL QUALITY</h1>	Rev:09	Project: PRASA	SI.FT1140.52
		Date: 2022/05/31		

Car:	NCR:	Work Station: FT1140
------	------	-------------------------



Safety Related


## 1 - Document and Instrument Control
















### L1 - Documents control

Document	TC1	MT	MG	MB	MA	YC2	Revision	Remark	OK	Signature/Date
PRA.FT1140.04						✓			✓	<i>[Signature]</i> 14/03/24
PRA.FT1140.05										
PRA.FT1140.05										



















### L2 - Instruments Control - Monitoring and Measuring Instrument Control (Used for all Instrument with calibration needed)


Instruments description	Serial number	Calibration or Verification Validation Date	OK	Signature/Date
Measuring Tape	CIBTA 0276	36/09/23-26/09/24 ✓		
Vernier Caliper	U1BVR 0050	29/11/23-29/10/24 ✓		
Torque Wrench 536 Nm	A9630053	21/09/23-21/03/24 ✓		
Torque wrench 320 Nm	A96960019	21/08/23-21/08/24 ✓		
Torque Wrench 150 Nm	B7217566	7/08/23-7/08/24 ✓		
Torque Wrench 35 Nm	D2511023	7/08/23-7/08/24 ✓		
Torque Wrench 17 Nm	D2261617	13/01/23-17/07/24 ✓		



GIBELQ		SELF INSPECTION INDUSTRIAL QUALITY		Rev:09	Project: PRASA		SI.FT1140.52
				Date: 2022/05/31			
II - Self Inspection - Items to Check							
II.1 - Items to Check							
Item	Picture/Sketch	Description	Criteria/Record	OK	NO	NA	Signature/Date
01		Ensure that the average pressure valve (APV) is isolated by capping the two input pipes at the fittings installing the blanking fitting on the pipes highlighted		✓			 13/03/24
02		Check underframe pipe system Air tightness. Test performance according to WI PRA.FT1130.15.	The test was performed and no leak was observed. Initial pressure (IP): 9.5 bar Final pressure (FP): 9.5 bar FP - IP 0 bar APPROVAL CRITERIA: After 5 minutes the pressure cannot drops more than 0,2 bar	✓			 13/03/24
03		Movement performed at least 50m to shudder the car. And position on the leveled load cell, with wheels on the center.		✓			 14/03/24
04		Measurement Inspection was done with car on condition AWD and the rail levelled. (The load cells system must be levelled and calibrated)	Calibration Validation Date 14/03/23	✓			 14/03/24
05		In case of the equipments not installed, equivalent weight of the item should be added in the same place to simulate the equipment. (Any simulated weight, add on pending list)	EQUIPMENT DESCRIPTION Driver Scale WEIGHT 60	✓			 14/03/24
06		The pressure difference between air spring on each bogie when raise the pressure was maintained < 0.3 bar.		✓			 14/03/24
07		Measurement recorded with empty suspension and loaded are on conformity with tolerances of the project.		✓			 14/03/24
08		All levelling measurements are according to the reference. (Values out of reference must be recorded on "Description of defects")		✓			 14/03/24



		<h1>SELF INSPECTION INDUSTRIAL QUALITY</h1>		Rev:09	Date: 2022/05/31		Project: PRASA	SI.FT1140.52	
Item	Picture/Sketch	Description	Criteria/Record					Signature/Date	
09		Check that the levelling rods are torqued and have torque marker.		✓				 14/03/24	
10		The difference of weight between the left and right wheels of each axis, must be $\leq 4\%$ .  (Verify on the T&C equipment if all arrows are in green).		✓				 14/03/24	
11		Remove the car, move back onto the load cells and repeat the step 09. Confirm if both are in the tolerance of $\leq 4\%$ .		✓				 14/03/24	
12		1 - Record shims thickness used on rod.  2 - All screws were torqued and have torque marker.	THICKNESS (mm) I 0 II 0 III 0 IV 0	✓				 14/03/24	
13		Pivot fixation	1- M20 x 90 screws with application of torque according to PRA.FT1140.04 / 05	✓				 14/03/24	
14		FOR TC CARS F= Height of the center of Automatic coupler $F = 685\text{mm} (+5 / -10\text{mm})$ (Using levelled rail)	TC CAB #1= <u>685</u> mm	✓				 13/03/24	
15		FOR TC CARS Height of Eurobalise Antenna = 205mm (+/-10mm) (Using levelled rail)	TC CAB #1= <u>199</u> mm	✓				 13/03/24	
16		Check pantograph piping air tightness. Test performance according to WI PRA.FT1140.17.	The test was performed and no leak was observed. -Roof piping connection fittings. -Room piping connection fittings(Roof arch and door trimming)					N/A	
17		Pantograph does not come in contact with the higher height gauge when passing through.	No Contact with Pantograph and Gauge -GO Contact with Pantograph and Gauge - NO GO					N/A	
18		Car does not come into contact with the gauge.	No Contact with Car and Gauge -GO Contact with Car and Gauge - NO GO	✓				 14/03/24	

  
 2024 -03- 13  
**CONTROLLED COPY**



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

2022/05/31



Proj:  
PRASA

SI.FT1140.52

## DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

		END#1											
		LEFT SIDE						RIGHT SIDE					
DESCRIPTION	TOLERANCE	6	5	4	3	2	1	1	2	3	4	5	6
AIR SPRING HEIGHT (EMPTY)	N/A	A <sup>1</sup> <sub>II</sub>											A <sup>1</sup> <sub>I</sub>
AIR SPRING HEIGHT (FULL)	min 254 max 261	A <sup>1</sup> <sub>II</sub>					255	257					A <sup>1</sup> <sub>I</sub>
FLOOR COVERING HEIGHT	min 1096 max 1116	E <sup>1</sup> <sub>II</sub>											E <sup>1</sup> <sub>I</sub>
AIR SPRING PRESSURE	≤ 0.3 (C <sub>II</sub> - C <sub>I</sub> )	C <sup>1</sup> <sub>II</sub>					3,63	3,49					C <sup>1</sup> <sub>I</sub>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>1</sup> <sub>3</sub>											D <sup>1</sup> <sub>1</sub>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>1</sup> <sub>4</sub>											D <sup>1</sup> <sub>2</sub>
PIVOT VERTICAL GAP	min 25 max 32	K <sup>1</sup> <sub>II</sub>											K <sup>1</sup> <sub>I</sub>
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (J <sub>II</sub> - J <sub>I</sub> )	J <sup>1</sup> <sub>II</sub>											J <sup>1</sup> <sub>I</sub>
QTY OF TURNS OF LEVELLING ROD	N/A	X <sup>1</sup> <sub>II</sub>											X <sup>1</sup> <sub>I</sub>
SHIMS OF ANTI-ROLL BAR	N/A	Y <sup>1</sup> <sub>II</sub>											Y <sup>1</sup> <sub>I</sub>
DESCRIPTION	TOLERANCE	6	5	4	3	2	1	1	2	3	4	5	6
AIR SPRING HEIGHT (EMPTY)	N/A	A <sup>1</sup> <sub>III</sub>											A <sup>1</sup> <sub>IV</sub>
AIR SPRING HEIGHT (FULL)	min 254 max 261	A <sup>1</sup> <sub>III</sub>					256	258					A <sup>1</sup> <sub>IV</sub>
FLOOR COVERING HEIGHT	min 1096 max 1116	E <sup>1</sup> <sub>III</sub>											E <sup>1</sup> <sub>IV</sub>
AIR SPRING PRESSURE	≤ 0.3 (C <sub>IV</sub> - C <sub>III</sub> )	C <sup>1</sup> <sub>III</sub>					2,84	2,83					C <sup>1</sup> <sub>IV</sub>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>1</sup> <sub>5</sub>											D <sup>1</sup> <sub>7</sub>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>1</sup> <sub>6</sub>											D <sup>1</sup> <sub>8</sub>
PIVOT VERTICAL GAP	min 25 max 32	K <sup>1</sup> <sub>III</sub>											K <sup>1</sup> <sub>IV</sub>
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (J <sub>IV</sub> - J <sub>III</sub> )	J <sup>1</sup> <sub>III</sub>											J <sup>1</sup> <sub>IV</sub>
QTY OF TURNS OF LEVELLING ROD	N/A	X <sup>1</sup> <sub>III</sub>											X <sup>1</sup> <sub>IV</sub>
SHIMS OF ANTI-ROLL BAR	N/A	Y <sup>1</sup> <sub>III</sub>											Y <sup>1</sup> <sub>IV</sub>

		END#2	
		BOGIE ORIENTATION	
COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW			
GOOD	LOWER		
✓	↓		
HIGHER	↑		
WEIGHT COMPENSATION			
EQUIPMENT			
WEIGHT			
EQUIPMENT			
WEIGHT			
SECONDARY MEASUREMENTS (ONLY TO CARS)			
AUTOMATIC COUPLER HEIGHT			
ANTENNA HEIGHT			

GIBEL

2024 -03- 13

CONTROLLED COPY



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

2022/05/31

Project:  
PRASA

SI.FT1140.52

## DRAFT TO MEASUREMENTS DURING LEVELLING (ALL UNITS MUST BE IN mm/bar/kg)

DESCRIPTION	TOLERANCE	END#1												
		LEFT SIDE						RIGHT SIDE						
		6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A <sup>II</sup>												A <sup>I</sup>
AIR SPRING HEIGHT (FULL)	min 254 max 261	A <sup>II</sup>												A <sup>I</sup>
FLOOR COVERING HEIGHT	min 1096 max 1116	E <sup>II</sup>												E <sup>I</sup>
AIR SPRING PRESSURE	≤ 0.3 (Ci - Qi)	C <sup>II</sup>												C <sup>I</sup>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>3</sup>												D <sup>1</sup>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>4</sup>												D <sup>2</sup>
PIVOT VERTICAL GAP	min 25 max 32	K <sup>II</sup>												K <sup>I</sup>
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Ji - Ji)	J <sup>II</sup>												J <sup>I</sup>
QTY OF TURNS OF LEVELLING ROD	N/A	X <sup>II</sup>												X <sup>I</sup>
SHIMS OF ANTI-ROLL BAR	N/A	Y <sup>II</sup>												Y <sup>I</sup>
DESCRIPTION	TOLERANCE	6	5	4	3	2	1	1	2	3	4	5	6	
AIR SPRING HEIGHT (EMPTY)	N/A	A <sup>III</sup>												A <sup>IV</sup>
AIR SPRING HEIGHT (FULL)	min 254 max 261	A <sup>III</sup>												A <sup>IV</sup>
FLOOR COVERING HEIGHT	min 1096 max 1116	E <sup>III</sup>												E <sup>IV</sup>
AIR SPRING PRESSURE	≤ 0.3 (Qv - Qii)	C <sup>III</sup>												C <sup>IV</sup>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>5</sup>												D <sup>7</sup>
PRIMARY SUSPENSION	SEE TABLE (ONLY REF)	D <sup>6</sup>												D <sup>8</sup>
PIVOT VERTICAL GAP	min 25 max 32	K <sup>III</sup>												K <sup>IV</sup>
PIVOT LATERAL STOP GAPS DIFFERENCE	≤ 4 (Jv - Jii)	J <sup>III</sup>												J <sup>IV</sup>
QTY OF TURNS OF LEVELLING ROD	N/A	X <sup>III</sup>												X <sup>IV</sup>
SHIMS OF ANTI-ROLL BAR	N/A	Y <sup>III</sup>												Y <sup>IV</sup>

COMPARE EACH TENTATIVE WITH THE TOLERANCE AND IDENTIFY EACH MEASURE AS BELOW		
GOOD	LOWER	HIGHER
✓	↓	↑
WEIGHT COMPENSATION		
EQUIPMENT		
WEIGHT		
EQUIPMENT		
WEIGHT		
SECONDARY MEASUREMENTS (ONLY TC CARS)		
AUTOMATIC COUPLER HEIGHT		
ANTENNA HEIGHT		

BOGIE END#1

BOGIE END#2

GIBELQ

2024-03-13

CONTROLLED COPY

Table 1 - Reference Values and Measurement Tolerances for the Car Levelling.

ITEM		THEORETICAL VALUES											
		TC1 CAR		M4 CAR		M1 CAR		M2 CAR		M3 CAR		TC2 CAR	
		TBext	TBint	MB1	MB2	MB1	MB2	MB1	MB2	MB1	MB2	TBint	TBext
Pivot lateral stop gaps difference [mm]	J <sub>0</sub> -J <sub>n+1</sub> (i=0)	Fig. 4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4	≤4
Air Spring height [mm]	A <sub>n</sub> (i=0)	Fig. 5	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>	255 <sup>+8</sup> <sub>-1</sub>
Air spring pressure at AWO [Bar]	C <sub>n</sub> (i=0)	Fig. 5	3,76 (Ref.)	2,82 (Ref.)	2,87 (Ref.)	2,83 (Ref.)	3,02 (Ref.)	2,91 (Ref.)	3,07 (Ref.)	2,85 (Ref.)	2,83 (Ref.)	2,83 (Ref.)	3,76 (Ref.)
Primary Suspension gaps [mm]	C <sub>1</sub> -C <sub>4</sub>	Fig. 5	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.	0,3 Máx.
	C <sub>0</sub> -C <sub>5</sub>	Fig. 5	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>
	D <sub>31</sub> -D <sub>3</sub>	Fig. 6	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>
	D <sub>31</sub> -D <sub>4</sub>	Fig. 6	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>
	D <sub>31</sub> -D <sub>7</sub>	Fig. 6	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>
Carbody Floor height [mm]	E <sub>n</sub> (i=0)	Fig. 7	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>	1106 <sup>+10</sup> <sub>-10</sub>
Bolster height [mm]	N <sub>n</sub> (i=0)	Fig. 7	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>	850 <sup>+12</sup> <sub>-7</sub>
Coupling End height [mm]	F <sub>1</sub>	Fig. 8	895 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	895 (Ref.)	760 (Ref.)
	F <sub>2</sub>	Fig. 9	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)	760 (Ref.)
Pivot Vertical gap [mm]	K <sub>n</sub>	Fig. 10	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>	30 <sup>+15</sup> <sub>-5</sub>



# SELF INSPECTION INDUSTRIAL QUALITY

Rev:09

Date:

2022/05/31

Projet:  
PRASA

SI.FT1140.52

## Leveling report from Production (Final measurements after Levelling and Weighing fine)

References for secondary suspension empty

A'n Air spring height empty

References for secondary suspension full

An Air spring height

Bn Difference between measurement A'n and An

En Floor covering height

Cn Air spring pressure

Dn Primary suspension

Kn Pivot Vertical gap



Jn Pivot Lateral stop gaps difference

Item	Reference [mm]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
A'n	N/A	A'i 233	A'ii 235	A'iii 238	A'iv 239
An	254 to 261	At 256	Aii 255	Aiii 256	Aiv 258
Bn = An - A'n	N/A	Bi 23	Bii 20	Biii 18	Biv 19
En	1105 ±10 mm	Ei 1109	Eii 1101	Eiii 1108	Eiv 1107
Item	Reference [bar]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
Cn	Table 02 (*)	Ci 3,47	Cii 3,59	Ciii 2,81	Civ 2,82
Cn - Cn+1	Difference ≤ 0,3	Ci - Cii 0,12		Ciii - Civ 0,01	
Gauge serial number	N/A	GIB05875	GIB05875	GIB05875	GIB05875
Item	Reference [mm]	END#1		END#2	
		Right Side	Left Side	Left Side	Right Side
Dn	Table 01 (*)	D1 44,05	D2 43,12	D3 44,65	D4 45,11
		D5 44,82	D6 43,01	D7 45,50	D8 44,75
Kn	25 to 45	Ki 33,78		Kii 36,0	
Jn	Difference ≤ 4	Ji 26,20	Jii 25,20	Jiii 26,24	Jiv 25,49

(\*) Reference, only include values, isn't approval criteria.

Table 01 D Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbex	TBin	Mb1	Mb1	Mb1	Mb2	Mb1	Mb1	Mb1	Mb1	Tbin	Tbex
D=	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>	35 <sup>+12</sup> <sub>-5</sub>


Table 02 C Theoretical Values	TC1		M4		M1		M2		M3		TC2	
	Tbex	TBin	Mb1	Mb1	Mb1	Mb2	Mb1	Mb1	Mb1	Mb1	Tbin	Tbex
C=	3,76	2,82	2,87	2,83	3,02	2,91	3,07	2,85	2,83	2,87	2,83	3,76



Weighting report from Test and Commissioning (Final measurements after Levelling and Weighing fine)



[illegible]



TRAIN SET 213	REF: GIB000001672_Q0 PRASA WEIGHT BALANCE EN
	PC09 WEIGHING REPORT

TC2	Balance across front and rear bogies	Front Bogie [Tons]	Rear Bogie [Tons]	Longitudinal Imbalance [%]	Criteria Longitudinal Imbalance ≤ 10%
		18.56	15.57		PASS
	Weight: Measured vs Predicted	Weight Measured [Tons]	Weight Predicted [Tons]	Weight Difference [%]	Criteria MinDiff/Max
		34.13	34.46	0.96%	1.62% PASS

[illegible]